

Medical equipment

| No | Article | Technical Specifications | Unit | Quantity |
|----|--|--|-------|----------|
| 1 | Mikroskop laboratorik/ Microscope for laboratory | Head: Binocular ; Eyepieces: Integrated 10x/18mm with or without pointer; Objectives: Plan 4x, 10x, 40x, 100x Oil; Stage: Mechanical stage with slide holder - easy load one hand; Condenser: Fixed 1.25 N.A. condenser with markings for each objective. - Slot for phase or darkfield; Focus: Coaxial coarse/fine focus controls; Illumination: LED illumination; Features: <ul style="list-style-type: none"> • Eyepieces are locked in and non-removable • Built in vertical handle - easy to pick up from high or low positions • Integrated cord wrap • Condenser is fixed - no need to center or align • Ag treat paint - Prevents the spread of disease • All BRASS gears • Durable & Dependable | piece | 1 |
| 2 | Llambe e levizshme stative/ Portable stative lamp | <ul style="list-style-type: none"> •BIFOCALS & LARGE LENS MAGNIFYING FLOOR LAMP: large bifocals 12 cm diameter lens with two parts with different focal lengths, the large lens for distant vision (5 diopter) and the small lens for near vision (20 diopter). •1,200 LUMENS BRIGHT, 5600K-6000K, CRI of 80: Super LED light provides 1,200 lumens. Large 5-diopter (225%) lens and small 20-diopter (600%) produce a bright beam of vivid light without glare •FIVE SPOKE BASE FOR ADDITIONAL STABILITY: •Light head height adjustment •Steel structure with epoxy coating •Multiple positioning focus and adjustable in height •Cold light •a long electrical cord | piece | 3 |
| 3 | Tavoline e ekzaminimit pediatrik/ Pediatric examination table | <ul style="list-style-type: none"> •Folding auxiliary board. •Synthetic leather upholstery. •Legs with non-slip endings. •Structure made of enamelled or stainless steel. •Lower shelf made of laminated wood. •Dimensions: 1200 x 600 x 850 mm | piece | 1 |

- BIFOCALS & LARGE LENS MAGNIFYING FLOOR LAMP: large bifocals 12 cm diameter lens with two parts with different focal lengths, the large lens for distant vision (5 diopter) and the small lens for near vision (20 diopter).
- 1,200 LUMENS BRIGHT, 5600K-6000K, CRI of 80: Super LED light provides 1,200 lumens. Large 5-diopter (225%) lens and small 20-diopter (600%) produce a bright beam of vivid light without glare
- FIVE SPOKE BASE FOR ADDITIONAL STABILITY:
 - Light head height adjustment
 - Steel structure with epoxy coating
 - Multiple positioning focus and adjustable in height
 - Cold light
 - a long electrical cord



Illustrative Photo

PEDIATRIC EXAMINATION TABLE

- Folding auxiliary board.
- Synthetic leather upholstery.
- Legs with non-slip endings.
- Structure made of enamelled or stainless steel.
- Lower shelf made of laminated wood.
- Dimensions: 1200 x 600 x 850 mm

